

THE WESTIN HYDERABAD MINDSPACE

Raheja IT Park, Hitec City, Madhapur,
Hyderabad - 500 081
India

T +91 40 6767 6767
F +91 40 6767 7676

westin.com/hyderabadmindspace

**The Westin Hyderabad Mindspace
By M/S Chalet Hotels Ltd.**

Raheja IT Park, sy.64 (P), Madhapur (V), Seilinga
Hyderabad - 500081, India

T 91.40.6767.6400 F 91.40.6767.7676 M 91.80083

EN442228174IN IVR:6978442228174
SP CYDERABAD S.O <500081>
Counter No:5,19/05/2025,11:43
To:THE REGIONAL ,MINISTRY OF ENVI
PIN:600034, Nungambakkam MD0
From:THE WESTIN ,RAHEJA IT PARK,
Wt:136gms
Amt:47.20,Tax:7.20,Amt.Paid:47.00(Cash)
<Track on www.indiapost.gov.in>
भारतीय डाक
डाक पोस्ट-सर्व सेवा

Date: 19/05/2025

To

The Regional office,

Ministry of Environment Forest & Climate Change,
I and II Floors, Handloom Export Promotion Council.
34, Cathedral Garden Road, Nungambakkam, Chennai 600034

Sub: Submission of Six months EC compliance report of M/s The Westin Hyderabad
Mindspace by Chalet Hotels Limited, Raheja IT Park.sy.64 (P), Madhapur(V),
Serilingampally (M),Ranga Reddy (District)
Telangana State-Regarding

Ref: SEIAA/AP/RRD-214/2012-4728, Dated: 09-01-2013

Dear Sir,

Please find the enclosed report in compliance of obtained EC Order. This "Half
yearly condition based compliance report "for the period of **Dec-2024 to May-2025**

Kindly acknowledge the receipt of the same.

Thanking you,
Yours Faithfully,
For The Westin Hyderabad


Authorized Signature

Encl: As above

Copy to :

- 1) Telangana state Pollution Control Board, Regional Office,RR-I,Begumpet,Ranga reddy (dt)
- 2) The Member Secretary, SEIAA,Telangana State,IndustrialEstate,Snath Nagar,Hyderabad

EC Half Yearly Compliance Report

Half Yearly Condition Wise Compliance Report By M/s.M/s The Westin Hyderabad Mindspace by Chalet Hotels Limited, Raheja IT Park.sy.64(P),Madhapur(V),Serilingampally (M),Ranga Reddy (District),Telangana State
Order no: SEIAA/AP/RRD-214/2012-4728
Dated 09/01/2013

S.NO	Condition	Status
1	Provision shall be made for the housing of the construction labor within the site with all necessary infrastructure and facilities such as safe drinking water, fuel for cooking, mobile toilets, mobile STP, medical health care, crèche etc., The housing may be in the form of temporary structure to be removed after the completion of the project. The safe disposal of waste water and solid waste generated during the construction phase should be ensured.	During Construction labors were deployed from nearest area (hyderabad) area only. Hence no provision was made in the site area for the housing for contraction labor. And other amenities were provided.
2	First aid room shall be provided in the project both during contraction and operation of the project.	Complied
3	All the top soil excavated during construction activities should be stored for use in horticulture/Landscape development within the project site.	Complied Excavated top soil utilized for landscaping.
4	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Not Applicable.
5	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Complied raw water & soil testing's were conducted and found satisfactory.
6	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.	Not applicable no hazardous/bio medical waste generated.

7	Any hazardous waste including biomedical waste and E-waste if any, should be disposed of as per applicable rules & norms with necessary approvals of the Andhra Pradesh pollution control board	Complied.
8	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to E (P) Rules prescribed for air and noise emission standards	Complied.
9	Vehicle hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	Complied, hired good condition vehicle to comply air and noise standards. And vehicles are allowed during non-peak hours only.
10	Ambient noise levels should conform to be residential standards both during day and night as notified by the MoE&F, GOI from time to time. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by the CPCB.	Complied used DG sets which are manufactured as per noise rules stipulated by MOEF to keep the noise levels below the standards stipulated by CPCB.
11	As per the provisions of fly ash notification No: S. O.2804€, dt. 30-11-2011, every construction agency engaged in the construction of the building with in the radius of 100 kilometers from a coal or lignite based thermal power plant shall use. Fly Ash based products for construction, such as: cement/concrete, Fly Ash bricks of blocks or tiles or clay fly ash bricks, blocks or tiles or cement fly ash bricks or bricks or blocks or similar products or a combination or aggregated of them in every construction or aggregate of them in every construction project.	Not applicable as there are no thermal power plants exists within 100kms radius of our project site.
12	Ready mixed concrete must be used in building constructions.	Complied.
13	Strom water control and its re-use shall be as per CGWB and BIS standards for various applications.	Complied.

14	Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.	Not Applicable
15	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Complied.
16	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Complied.
17	Treatment of 100% grey water should be done.	Complied.
18	Fixtures for shower, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices of sensor based control.	Complied provided low flow fixture.
19	Use of glass may be reduced by up to 40% to reduce the electricity consumption and load on air-conditioning. If necessary, use high quality double glass with special reflective coating in window is to be used.	Complied.
20	Roof should meet prescriptive requirement as per energy conservation building code by using appropriate thermal insulation material to fulfil requirement.	Complied. We have made roof as per energy conservation building code by using appropriate thermal insulation materials.
21	Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.	During construction as per CPCB norms adequate measures are taken.
22	Opaque wall should meet prescriptive requirement as per energy conservation building code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	Complied.
23	The approval of the competent authority shall be obtained for structural safety of the building due to earth quake, adequacy of firefighting equipment, etc. as per national building code including protection measures from lightening etc.	Complied.
24	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	Complied.

Occupational Phase		
S.No	Conditions	Status
1	The insulation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the SEIAA before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms & standard of the Andhra Pradesh Pollution Control Board. Sewage Treatment Plant should be monitored on a regular basis. No waste water shall be discharged outside the premises until outlet is connected to the public sewer line. Till such time, the excess treated sewage, if any, is to be discharged into an artificial pond with in the premises and can be utilized for recreational purposes.	Complied, as per EC conditions STP plant installed and 100% treated water utilizing for flushing, HVAC systems and landscaping of the building.
2	Rain water harvesting for roof run-off and surface run-off and surface run-off, as plan submitted should be implemented .Before recharging the surface run off, Pre-treatment must be done to remove suspended matter, Oil and grease	Complied.
3	The solid waste generated should be properly collected & segregated before disposal to the city municipal facility .The organic waste shall be composted.	complied
4	The DG sets shall be provided with acoustic enclosures and adequate stack height as per CPCB norms. The fuel used for diesel generators should be low Sulphur diesel and should conform to E (P) Rules prescribed for Air and Noise emission standards.	complied
5	Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Andhra Pradesh Pollution Control Board.	Complied no biomedical waste generation .And hazardous waste disposed to authorized recycler as per norms.

6	The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use by the MoE&F, GOI/CPCB. The open spaces inside the plot should be suitable landscaped and covered with vegetation of indigenous variety. During night time the noise levels measured at the permissible levels to comply with the prevent regulation.	complied
7	Incremental Pollution Loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.	Complied and attached the test report.
8	Application of solar energy should be incorporated for illumination of common areas, to provision for solar water heating in addition to provision for solar water heating .A hybrid system of fully solar system for a portion of the apartments should be provided.	Complied, installed 25KW capacity of solar system and generation utilizing for common areas light fixtures and equipment's.
9	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided .parking should be fully internalized and no public space should be utilized.	Complied, Exit and entry into the building premises has been properly designed to prevent congestion. Parking has been fully internalized and no public space is utilized
10	Adequate number of parking spaces shall be provide for visitor vehicles. Rest room facilities sound be provide for service population. The proponent shall provide public convenience facilities such as toilets, bathrooms, waiting rooms etc. for the drivers, workers etc. so as to maintain cleanness/hygienic conditions in the surroundings of the project.	Complied, adequate parking space provide for visitor vehicle. Provided toilets other facilities for the drivers.
11	The proponent shall comply with Energy Conservation practices, Energy Efficient practices energy audit practices. Wherever feasible, green building concepts shall be adapted. Use solar panels may be done to the extent possible.	Energy Efficient equipment's are installed in the building .And as a part of energy efficient practices quarterly equipment's preventive maintenance are being carried out.
12	Adequate measures should be taken to prevent odor problem from solid waste processing plant and STP	Complied, provided exhaust and fresh air system for the STP plant.

Part-B General Conditions

S.NO	Conditions	Status
1	This order is valid for a period of 5 years.	Complied CFO is in place. Consent Order No: 220523289605
2	'Consent for Establishment" shall be obtained from Andhra Pradesh Pollution Control Board under Air and water act before the start of any construction work at site	Complied CFO IS IN PLACE. Consent Order No: 220523289605
3	The proponent shall submit half-year compliance reports in receipt of the terms and conditions stipulated in this order & monitoring reports in hard and soft copies to the SEIAA and Ministry's Regional office Bangalore on 1st June and 1st December of each calendar year.	Noted
4	Officials from the Regional Office of MoE&F, Bangalore who would be monitoring the implementation of environment safeguard should be given full co-operation, facilities and documents/data by the project proponents during their inspection .A complete set of all the forwarded to the CCF,Regional office to MoE&F Bangalore.	We will extend full co-operation, facilities and provide documents/data to officials of the Regional Office of MoEF&CC.Bangalore whenever they visit.
5	In the case of any change (s) in the scope of the project, the project would require a fresh appraisal by the SEIAA	Noted, there is no modification happened. In case of any change(s) in the scope of the SEIAA shall be obtained.
6	A copy of clearance letter shall be marked to concerned panchayat/Local NGO, if any, from whom suggestion /representation has been received while processing the proposal.	Complied.
7	All other statutory clearances shall be obtained , as applicable by project proponents from the competent authorities	Complied, all required statutory clearance are in place

8	The project proponent should advertise in least two local Newspapers widely circulated in the region ,one of which shall be in the vernacular language information that the project has been accorded environmental clearance and copies of clearance letters are available with the Andhra Pradesh Pollution Control Board .The advertisement should be made within 7days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this ministry at Bangalore .	Complied.
9	Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the Matter of Goa foundation Vs. Union of India in Writ Petition(Civil) No.460 of 2004 as may be applicable to this project	Noted.
10	the funds earmarked for environmental protection measures (Capital cost Rs 38.0 Lakhs during construction phase and Rs 72.0 lakhs during occupation phase;recurring cost Rs.20 Lakhs per annum during construction phase and Rs.33.0 lakhs per annum during occupation phase) Should be kept in separate account and should not be diverted for other purpose .Year wise expenditure should be reported to the SEIAA Ministry and its Regional office located at Bangalore	We have spent half yearly cost of Rs-1242228/- (Dec to May-2025)towards operational recurring cost for environmental protection measures
11	Any appeal against Environmental clearance shall lie with the National Environmental Appellate AUTHORITY, If preferred with in the period of 30 days as prescribed under section 11 of the National Environment Appellate Act, 1997.	Noted.
12	The SEIAA may revoke or suspend the order, if implantation of the above conditions is not satisfactory .The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of Environment protection.	Noted.

13	Concealing the factual data or failure to comply with any of the conditions mentioned above may results in withdraw of this clearance and attract action under the provisions of Environment (Protection) act, 1986 with any prior notice.	Noted.
14	These stipulations would be enforced among others under the provisions of water (Prevention and control of and pollution)act,1974,The Air (Prevention and control of pollution)Act,1981, the Environment(protection) Act,1986,the public Liability (insurance) Act,1991 and EIA Notification ,2006.	Noted.
15	These stipulation would be enforced among others under the provisions of water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act,1981, the Environment (Protection) Act,1986,the public Liability (Insurance)Act,1991 and EIA Notification ,2006	Noted.

Place:

Date:

Signature:

Designation:





Recognized by Ministry of Environment Forest &
Climate Change, Govt. of India

An NABL Accredited Laboratory in Chemical & Biological Scope.TC - 12742.

Food Safety Standards Authority of India, Govt. of India

An ISO 45001 : 2018 Certified Laboratory

Corp. off. : # 3-11-482/2, Plot No.1, 3rd Floor,
Sai Sadan Complex, Shiva Ganga Colony,
L.B. Nagar, Hyd-500 074.

Branches : Vijayawada, Vizag & Bangalore

Office Contact : 9966375550

Mobile : 9347237845

E-mail : mail2carelabs@gmail.com

Web : www.carelabs.in

TEST REPORT

ISSUED TO:

M/s. The Westin,
Hyderabad Mind Space,
Raheja IT Park, Madhapur, Hyderabad

Issue Date: 27.01.2025

Sample Registration No: 0283/01/25

Sample Collection Date: 22.01.2025

Analysis Starting Date: 22.01.2025

Sample Particulars: Soil -Near Garden Area

Sample Quantity & Condition: 1kg×1 No & Intact

Sample Registration Date: 22.01.2025

Analysis Completion Date: 27.01.2025

Lab Ref: CL/S/0283/01/25-001/25

TEST RESULTS

S.No	TEST PARAMETERS	UNITS	RESULTS
1.	Soil Texture		Clay Sand
	Sand	%	31
	Silt		46
	Clay		23
2.	Electrical Conductivity	ms/cm	0.346
3.	pH	--	8.2
4.	Potassium as K	Kg/h	44.5
5.	Iron as Fe	%	4.2
6.	Organic Carbon	%	0.50
7.	Zinc as Zn	mg/kg	28.9
8.	Nitrogen as N	Kg/h	84
9.	Phosphorous as P	Kg/h	32.2
10.	Magnesium as Mg	mg/kg	51.0
11.	Calcium as Ca	mg/kg	15.7
12.	Boron as B	mg/kg	46
13.	Sulphates	mg/kg	15.3
14.	Chlorides	mg/kg	48.7
15.	Manganese	mg/kg	5.1

Method of Testing: As per M.L . Jackson & FAO -Food and Agriculture Organization.


Reviewed by




Authorized Signatory

This Test Report shall not be reproduced either in full or part without the written approval from CARE LABS.



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



TC-5843

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT


ULR : TC584324100001452F


Report No.	ISSPL/EN/24-25/18635	Date	25/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana		
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80365)		
3. Material Identification with details	Ambient Air Quality Monitoring: Date and Time of Sampling: 14/11/2024 (09:00 am) to 15/11/2024 (09:00 am), Location: Near Main Gate, Qty.: 1 nos.		
4. Date of Sampling	14/11/2024 - 15/11/2024		
5. Time of Sampling	09:00 am to 09:00 am		
6. Sampling Location	Near Main Gate, Latitude: 17°46'72" E, Longitude: 78°67'91" E		
7. Sampling Protocol	IS:5182 (Pt-14) 2000		
8. Duration of Sampling (Minutes)	1440 Min.		
9. Test Started On	18/11/2024		
10. Test Completed On	25/11/2024		
11. Date of sample Testing	18/11/2024 To 25/11/2024		
12. Nature & Activity of the Unit	Human & vehicles Activity		
13. Ambient Temperature (oC)	Min. 24°C, Max. 27°C		
14. Weather Condition during Monitoring	Clear Sky		
15. Instrument Code & Calibration Status	ISSPL/INS/C/211, ISSPL/INS/C/128, ISSPL/INS/C/124		

RESULTS

S.No.	Name of Test	Method of Test	Results	Unit	Limit as per NAAQS*
I. Chemical Parameter:-					
1. Atmospheric Pollution					
1	Sulphur Dioxide (as SO ₂)	IS:5182 (Part 2)-2001, Reaff :2017	2.96	µg/m ³	80 (Max.)
2	Nitrogen Dioxide(as NO ₂)	IS:5182 (Part 6)-2006, Reaff :2017	9.81	µg/m ³	80 (Max.)
3	Particulate Matter (as PM _{2.5})	IS:5182 (Part 24):2019	42.3	µg/m ³	60 (Max.)

Page No. 1/2


25/11/2024
Pushpa Sharma
Reviewed By


25/11/2024
Rameshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001452F

Report No.		ISSPL/EN/24-25/18635			Date	25/11/2024
S.No.	Name of Test	Method of Test	Results	Unit	Limit as per NAAQS*	
4	Particulate Matter (as PM10)	IS:5182 (Part 23)-2006, Reaff:2017	76.4	µg/m ³	100 (Max.)	

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification

*NAAQS- National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-se.-3(i)] 16.11.2009.

Remark: Sampling done by ISSPL Representative (Mr. Sudhakar Vashishtha).

NA=Not Applicable.

****End of the Report****

25/11/2024

Pushpa Sharma
Reviewed By

25/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001454F

Report No.	ISSPL/EN/24-25/18637	Date	25/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana		
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80363)		
3. Material Identification with details	Ambient Noise Monitoring: Date and Time of Sampling: 14/11/2024 (09:00 am) to 15/11/2024 (09:00 am), Location: Near Main Gate, Qty.: 1 nos.		
4. Source / Location	Near Main Gate, Latitude: 17°44'93" E, Longitude: 78°38'16" E		
5. Sampled By/Condition of Sample	ISSPL- Mr. Sudhakar Vashishtha / OK		
6. Date of sample receipt	14/11/2024		
7. Date of Sample Registration	16/11/2024		
8. Date of sample Testing	18/11/2024 To 25/11/2024		
9. Environmental Conditions	Clear Sky		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units
I. Chemical Testing:-				
1. Atmospheric Pollution:-				
1	Leq Day	IS 9989 1981, RA: 2014	53.6	dB(A)
2	Leq Night	IS 9989 1981, RA: 2014	44.1	dB(A)

25/11/2024

Pushpa Sharma
Reviewed By

25/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



TC-5843

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001454F

Report No.	ISSPL/EN/24-25/18637	Date	25/11/2024
------------	----------------------	------	------------

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, education institutions, religious places or any other area which is declared as such by the competent authority, Mixed categories of area may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale (A) which is relatable to human hearing.


Remark: Sampling done by ISSPL Representative (Mr. Sudhakar Vashishtha).

NA=Not Applicable.

End of the Report

25/11/2024

Pushpa Sharma
Reviewed By



25/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001457F

Report No.	ISSPL/EN/24-25/18640/A	Date	25/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana		
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80360)		
3. Material Identification with details	DG Stack: Date and Time of Sampling: 15/11/2024 (10:00 am to 10:33 am), Location: DG Stack (DG-1)- 1250 KVA, Qty.: 1 nos.		
4. Sample code	80360		
5. Date of sampling	15/11/2024		
6. Date of Sample testing	16/11/2024 To 25/11/2024		
7. Sampling duration (in minutes)	33 Min.		
8. Sampling Location	DG Stack (DG-1)- 1250 KVA		
9. Sampling Protocol	IS:11255 (Pt-1) 1985 (RA 2014)		
10. Type of stack	MS Circular		
11. Stack attached to	DG Stack (DG-1)- 1250 KVA		
12. Stack Diameter (in meters)	0.3 Mtr.		
13. Stack height (in meters)	30 Mtr.		
14. Type and quantity of fuel used	Diesel		
15. Instrument Code & Calibration Status	-		
16. Control Measures if any	-		
17. Ambient Temperature (oC)	32°C		
18. Flue Gas Temperature (oC)	145°C		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Specifications
I. Chemical Testing:-					
1. Atmospheric Pollution:-					
1	Sulphur dioxide (as SO ₂) at 15% O ₂ Corr.	USEPA 6C: 1996	39.1	mg/Nm ³	-

25/11/2024
Pushpa Sharma
Reviewed By

25/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001457F

Report No.		ISSPL/EN/24-25/18640/A			Date	25/11/2024
S.No.	Test Parameters	Test Method	Results	Units	Specifications	
2	Oxides of Nitrogen (as NOx) at 15% O2 Corr.	USEPA 7E: 1990	11.8	ppm	710 (Max.)	
3	Suspended Particulate Matter (SPM) at 15% O2 Corr.	IS 11255 (Part 1): 1985	31.7	mg/Nm3	75 (Max.)	
4	Flow Rate	IS 11255 (Part 3): 2008	30.16	lpm	-	

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification

Remark: - Sample Conforms to Limit as per Environmental (Protection) Act, 1986 with respect to above tested Parameters.


Remark: Sampling done by ISSPL Representative (Mr. Sudhakar Vashishtha).

NA=Not Applicable.

****End of the Report****


25/11/2024

Pushpa Sharma
Reviewed By


25/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



Doc. No.ISSPL/QP/13/F-01

IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



TC-5843

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT


ULR : TC584324100001460F


Report No.	ISSPL/EN/24-25/18641/A	Date	26/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana		
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80359)		
3. Material Identification with details	DG Stack: Date and Time of Sampling: 15/11/2024 (11:00 am to 11:32 am), Location: DG Stack (DG-2)- 1250 KVA, Qty.: 1 nos.		
4. Sample code	80359		
5. Date of sampling	15/11/2024		
6. Date of Sample testing	16/11/2024 To 26/11/2024		
7. Sampling duration (in minutes)	32 Min.		
8. Sampling Location	DG Stack (DG-2)- 1250 KVA		
9. Sampling Protocol	IS:11255 (Pt-1) 1985 (RA 2014)		
10. Type of stack	MS Circular		
11. Stack attached to	DG Stack (DG-2)- 1250 KVA		
12. Stack Diameter (in meters)	0.3 Mtr.		
13. Stack height (in meters)	30 Mtr.		
14. Type and quantity of fuel used	Diesel		
15. Instrument Code & Calibration Status	-		
16. Control Measures if any	-		
17. Ambient Temperature (oC)	32°C		
18. Flue Gas Temperature (oC)	145°C		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Specifications
I. Chemical Testing:-					
1. Atmospheric Pollution:-					
1	Sulphur dioxide (as SO ₂) at 15% O ₂ Corr.	USEPA 6C: 1996	39.1	mg/Nm ³	-

Page No. 1/2


26/11/2024
Pushpa Sharma
Reviewed By


26/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001460F

Report No.		ISSPL/EN/24-25/18641/A			Date	26/11/2024
S.No.	Test Parameters	Test Method	Results	Units	Specifications	
2	Oxides of Nitrogen (as NOx) at 15% O2 Corr.	USEPA 7E: 1990	11.8	ppm	710 (Max.)	
3	Suspended Particulate Matter (SPM) at 15% O2 Corr.	IS 11255 (Part 1): 1985	32.1	mg/Nm3	75(Max.)	
4	Flow Rate	IS 11255 (Part 3): 2008	31.12	lpm	-	

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification

Remark: - Sample Conforms to Limit as per Environmental (Protection) Act, 1986 with respect to above tested Parameters.

Remark: Sampling done by ISSPL Representative (Mr. Sudhakar Vashishtha).

****End of the Report****


26/11/2024

Pushpa Sharma
Reviewed By


26/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



TC-5843

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT


ULR : TC584324100001458F


Report No.	ISSPL/EN/24-25/18643	Date	26/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana		
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80357)		
3. Material Identification with details	DG Noise: Date and Time of Sampling: 15/11/2024 (09:20 am) to 16/11/2024 (09:20 am), Location: DG Noise-1 (1250 KVA), Qty.: 1 nos.		
4. Sample No.	80357		
5. Sample Type	DG Noise		
6. Sampling Location & Source	DG Noise-1 (1250 KVA), Latitude: 17°44'53" E, Longitude: 78°36'97" E		
7. Date of sampling	15/11/2024		
8. Sampling Method & Testing Method	IS:11255 (Pt-1) 1985 (RA 2014)		
9. Sampling Team	ISSPL- Mr. Sudhakar Vashishtha		
10. Date of Sample Registration	16/11/2024		
11. Date of Sample Tested	16/11/2024 To 23/11/2024		
12. Sampled By & Condition	ISSPL/OK		
13. Background Noise Level dB(A)	56		
14. Environmental Conditions:	Clear Sky		
15. DG set identity (Make/Sr. No./Model)	ISSPL/INS/C/303		
16. Measurment Mode	Human Activity		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Limit as per CPCB
1. Chemical Testing:-					
1. Atmospheric Pollution					
1	Noise Level 1 meter away from the acoustic enclosure Surface(North)-5 Minutes	IS/ISO 8528 (Part-10):1998	71.2	dB(A)	75 (Max.)
2	Noise Level 1 meter away	IS/ISO 8528 (Part-10):1998	73.3	dB(A)	75 (Max.)

Page No. 1/2


26/11/2024
Pushpa Sharma
Reviewed By


26/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT


ULR : TC584324100001458F

Report No.		ISSPL/EN/24-25/18643			Date	26/11/2024
S.No.	Test Parameters	Test Method	Results	Units	Limit as per CPCB	
2	from the acoustic enclosure Surface(East)-5 Minutes					
3	Noise Level 1 meter away from the acoustic enclosure Surface(South)-5 Minutes	IS/ISO 8528 (Part-10):1998	72.0	dB(A)	75 (Max.)	
4	Noise Level 1 meter away from the acoustic enclosure Surface(West)-5 Minutes	IS/ISO 8528 (Part-10):1998	73.7	dB(A)	75 (Max.)	
5	Noise Level 1 meter away from the acoustic enclosure Surface(Top)-5 Minutes	IS/ISO 8528 (Part-10):1998	73.6	dB(A)	75 (Max.)	


Note: The maximum permissible sound pressure level at 1 meter from the enclosure surface does not exceed 75 dB(A) and complies with the requirement G.S.R. 371(E) dated 17th May, 2002 along with G.S.R. 520 (E) dated 1st July, 2003 (The Environment (Protection) Amendment Rules, 2003) and amendments thereby.

NA=Not Applicable.

****End of the Report****


26/11/2024

Pushpa Sharma
Reviewed By


26/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory



SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,

Malviya Nagar, Jaipur, Rajasthan – 302017: India

Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com



TC-5843

TEST REPORT

ULR : TC584324100001461F

Report No.	ISSPL/EN/24-25/18642/A		Date	26/11/2024
1. Name & address of Customer	The Westin Hyderabad Mindspace Building No.15, The Westin Hyderabad Mindspace, Survey No. 64 Part Raheja IT Park Mindspace, Madhapur, Hyderabad Telangana			
2. Reference No.	Your TRF Dated: 15/11/2024 (Reg. No. 80358)			
3. Material Identification with details	Boiler Stack: Date and Time of Sampling: 15/11/2024 (11:00 am to 11:30 am), Location: Boiler Stack-2 (2 Tan), Qty.: 1 nos.			
4. Sample code	80358			
5. Date of sampling	15/11/2024			
6. Date of Sample testing	16/11/2024 To 26/11/2024			
7. Sampling duration (in minutes)	30 Min.			
8. Sampling Location	Boiler Stack-2 (2 Tan)			
9. Sampling Protocol	IS:11255 (Pt-1) 1985 (RA 2014)			
10. Type of stack	MS Circular			
11. Stack attached to	Boiler Stack-2 (2 Tan)			
12. Stack Diameter (in meters)	-			
13. Stack height (in meters)	30 Mtr.			
14. Type and quantity of fuel used	Diesel			
15. Instrument Code & Calibration Status	ISSPL/INS/C/366			
16. Control Measures if any	-			
17. Ambient Temperature (oC)	29°C			
18. Flue Gas Temperature (oC)	130°C			

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Specifications
I. Chemical Testing:-					
1. Atmospheric Pollution:-					
1	Sulphur dioxide (as SO ₂) at 3% O ₂ Corr.	USEPA 6C: 1996	42.1	mg/Nm ³	-

Page No. 1/2

Pushpa Sharma

Reviewed By

26/11/2024
Rameshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf

HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

CIN : U74120MH2014PTC254091



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584324100001461F

Report No.		ISSPL/EN/24-25/18642/A			Date	26/11/2024
S.No.	Test Parameters	Test Method	Results	Units	Specifications	
2	Oxides of Nitrogen (as NO _x) at 3% O ₂ Corr.	USEPA 7E: 1990	12.5	ppm	710 (Max.)	
3	Suspended Particulate Matter (SPM) at 3% O ₂ Corr.	IS 11255 (Part 1): 1985	35.9	mg/Nm ³	75 (Max.)	
4	Flow Rate	IS 11255 (Part 3): 2008	58.0	lpm	-	

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification

Remark: - Sample Conforms to Limit as per Environmental (Protection) Act, 1986 with respect to above tested Parameters.


Remark: Sampling done by ISSPL Representative (Mr. Sudhakar Vashishtha).

NA=Not Applicable.

****End of the Report****

26/11/2024

Pushpa Sharma
Reviewed By



26/11/2024
Parmeshwar Lal
Assist. Manager
Authorised Signatory